

MARS GSD8J66M [650-670W]

Bifacial Dual Glass 12BB Half-cut Mono Perc

IEC 61215 / IEC 61730 / UL 61730

ISO9001: 2015: Quality Management System

IS014001:2015: Environment Management System

ISO45001:2018: Occupational Health And Safety Management System
















KEY FEATURES



12BB Half-cut Cell Technology

New circuit design, lower internal current, lower Rs loss dopped wafer



Significantly Lower The Risk Of Hot Spot

Special circuit design with much lower hot spot temperature



Double Power Output

For higher power output, backside power output can be increasess 5-25%



Wider Application

No water-permeability and high wear-resistance, can be widely used in high-humid, windy and dusty area



PID Resistance


Excellent Anti-PID performance guarantee via optimized mass-production process and materials control

Guaranteed Power Performance

25 Years Product Warranty

30 Years Linear Power Warranty

0.45% Annual Degradation Over 30 Years



As different markets have different certification requirements, please consult our G-Star sales group to obtain the corresponding certification for the local market. If any special requirements are needed for the specific installing environment, pleae feel free to contact G-star technical support department anytime.

info@gstar-solar.com *Version No.: GS-20230701

GSD8J66M

650-670W

Bifacial Dual Glass 12BB Half-cut Mono Perc

Weight


39kg


Dimensions


2384*1303*35mm

Packaging

31pcs/pallet,558pcs/ 40'HQ Container 558pcs/ 40'HQ Container(USA)







E	ro	n	+	

t Side Back

OPERATING CONDITIONS		MECHANICAL CHARACTERISTICS		
Operating Temperature	-40°C~+85°C	Cell Type	Monocrystalline 210*105mm	
Maximum System Voltage	1500V/DC	No. Of Cells	132 pcs in series (6*22)	
Maximum Series Fuse Rating	35A	Front Glass	2.0mm AR Coating Semi-tempered Glass	
Power Tolerance	0~3%	Back Glass	2.0mm Glazed Semi-tempered Glass	
Temperature Coefficients Of Pmax	-0.35%/°C	Frame	Anodized Aluminium Alloy,silver or black	
Temperature Coefficients Of Voc	-0.26%/°C	Junction Box	IP68 , 3 Bypass Diodes	
Temperature Coefficients Of Isc	0.048%/°C	Output Cables	300mm in legth or Customized Length	
Nominal Module Operating Temperature(NMOT)	43±2°C	Connectors	MC4/MC4-EVO2	
*Under STC :BACKside Output Ration =Pmax(rear)/Pmax(front)	70%±5%	Mechanical Load	5400Pa(Front)/2400Pa(Back)	

ELECTRICAL PARAMETERS AT STC & NMOT


Module Type	GSD8J6	GSD8J66M-650WT		GSD8J66M-655WT GSD8J6		8J66M-660WT GSD8J6		G6M-665WT GSD8		3J66M-670WT	
	STC	NMOT	STC	NMOT	STC	NMOT	STC	NMOT	STC	NMOT	
Maximum Power(Pmax)	650Wp	491Wp	655Wp	495Wp	660Wp	499Wp	665Wp	503Wp	670Wp	506Wp	
Maximum Power Voltage (Vmp)	37.60V	35.08V	37.80V	35.26V	38.00V	35.45V	38.20V	35.64V	38.40V	35.82V	
Maximum Power Current (lmp)	17.29A	14.02A	17.33A	14.05A	17.37A	14.09A	17.41A	14.12A	17.45A	14.15A	
Open-circuit Voltage (Voc)	45.40V	42.77V	45.60V	42.96V	45.80V	43.14V	46.00V	43.33V	46.20V	43.52V	
Short-circuit Current (Isc)	18.21A	14.68A	18.26A	14.72A	18.31A	14.76A	18.36A	14.80A	18.41A	14.84A	
Module Efficiency STC (%)	20.9	92%	21.0	9%	21.	25%	21.	41%	21.	57%	

BIFACIAL OUTPUT-REARSIDE POWER GAIN

5%	Maximum Power(Pmax)	682Wp	687Wp	693Wp	698Wp	703Wp
	Module Efficiency STC (%)	21.96%	22.12%	22.31%	22.47%	22.65%
15%	Maximum Power(Pmax)	747Wp	753Wp	759Wp	764Wp	770Wp
	Module Efficiency STC (%)	24.05%	24.24%	24.43%	24.59%	24.79%
25%	Maximum Power(Pmax)	812Wp	818Wp	825Wp	831Wp	837Wp
	Module Efficiency STC (%)	26.14%	26.33%	26.56%	26.75%	26.94%

^{*}Bifacial Gain: The additional gain from the back side compared to the power of the front side at the standard test condition. It depends on mounting (structure, height, tit angle etc.) and albedo of the ground.

IV-CURVE



25 20 Incident Irrad. = 1000 W/m² Incident Irrad. = 800 W/m² 15 Incident Irrad. = 600 W/m² 10 Incident Irrad. = 400 W/m² 5 Incident Irrad. = 200 W/m² 0 20 30 40 10 50 Voltage (V)



E-mail:info@gstar-solar.com Website: www.gstarsolar.com



*STC: Irradiance 1000W/m² NMOT:Irradiance 800W/m²



Cell Temperature 25°C



AM=1.5

